

Goal Zero Yeti 1000x Backup Power Station



YETI 1000X

Our most versatile sized power station is big enough to power larger devices such as laptops, TVs and portable enough to pack in the car and go with you anywhere.

INPUTS: Solar Charging Port, Power Plus Charging Port, 60W USB-C PD Port (Input/Output), 60W USB-C PD Port (Input/Output), 100W USB-C Port

OUTPUTS: 12V DC 100A 12V, 100W USB-C PD Port (Input/Output), 100W USB-C Port, 12V DC 100A 12V, 100W USB-C PD Port (Input/Output), 100W USB-C Port

GENERAL: Weight: 31.6lb (14.3kg), Dimensions: 13.2" x 13.2" x 13.2" (33.5" x 33.5" x 33.5")

BATTERY: 1000Wh

1500W Pure Sine Wave Inverter, 3000W surge. 983Wh Lithium Ion Battery. 14KG.

Rating: Not Rated Yet

Price

Normal price: R 29999

Price: R 29999

[Ask a question](#)

Manufacturer [Goal Zero](#)

Description

YETI 1000X PORTABLE POWER STATION

Run your essential devices and appliances with the Yeti 1000X. Our most versatile sized power station is big enough to power medium to large appliances and portable enough to pack in the car and go with you anywhere. Upgraded to include USB-C Power Delivery, integrated MPPT for increased solar charging efficiency, and faster recharge times. Power phones, laptops, camera equipment, portable fridges, medical devices, TV's, and more.

WHAT CAN THE YETI 1000X POWER?

Recharges

Smart Phone (12 Wh) : 82, Tablet (30 Wh) : 33, Laptop (50 Wh) : 20, POV Camera (5 Wh) : 197, DSLR Camera (18 Wh) : 55, Head Lamp (5 Wh) : 197

Hours of Runtime

Light-a-Life 350 (4.5 W) : 219, Light Bulb (11 W) : 90, CPAP (65 W) : 15, TV (42? LED) (100 W) : 10, Pellet Grill (60 W) : 17, Microwave (1000 W) : 1, Portable Fridge (25 W) : 40, WiFi Router (25 W) : 40, Mini Fridge(35 W) : 28, Full Size Refrigerator (55 W) : 18, Circular Saw (13 Amp) (1500 W) : 0.5

HIGHLIGHTS

Goodbye Gas Generator. Hello Yeti X. With a lithium-ion battery at its core, the Goal Zero Yeti X equips you with safe, clean, portable power for camping, tailgating, off-grid events, workshops, and emergency power during an outage.

Faster Charging from the Wall. Yeti 1000X offers up multiple recharging options. Included 120W Power Supply plugs into the 8mm charging port to recharge the Yeti in 9 hours. Industry-leading 600W High Power Port lets you recharge in as little as 2 hours using the Yeti X 600W Power Supply (sold separately).

Versatile Port Options. Power a wide range of devices with seven different port options including fast-charging 60W USB-C Power Delivery, multiple USB-A ports, regulated 12V, and two 120V AC ports.

Experience Unlimited Power. Charge the Yeti 1000X from the sun with our portable solar panels while away from the grid, and keep it topped off from a wall outlet when you're home. Integrated MPPT charge controller ensures you're getting the most efficient solar charge possible.

CHARGING

THREE WAYS TO CHARGE

FROM THE SUN. Recharge from the sun by connecting a compatible solar panel. Charge times are dependent on the size of the solar panel. The Boulder 100 Briefcase will provide 100W of solar and fully recharge the Yeti 1000X in 12-24 hours.

FROM THE WALL. Plug it into the wall. Fully recharges in 9 hours using the included 120W Power Supply AC Wall Charger. Not quick enough?

Drop your recharge time to 2 hours using the available 600W Power Supply or 4.5 hours with the 230W Power Supply.

FROM THE CAR. The Goal Zero Yeti 1000X can be charged by plugging into your 12V adapter using the Goal Zero Yeti Lithium 12V Car Charging Cable.

TECH SPECS

PORTS

USB-A port (output): 5V, up to 2.4A (12W max), regulated

USB-C port (output): 5 – 12V, up to 3.0A (18W max), regulated

USB-C PD port (input / output): 5 – 20V, up to 3.0A (60W max), regulated

6mm port (output, 6mm): 12V, up to 10A (120W max), regulated

12V car port (output): 12V, up to 15A (180W max), regulated

12V High Power Port (output): 12V, up to 15A (180W max), regulated

220V AC Inverter: 220VAC 60Hz, 12.5A (1500W, 3000W surge) (output, pure sine wave)

Charging port (input, 8mm): 14-50V, up to 10A (150W max)

Charging High Power Port (input): 14-50V, up to 50A (600W max)

Expansion Module port: Covered port under the lid. To be used with Goal Zero expansion modules only.

BATTERY DETAILS

Cell chemistry: Li-ion NMC

Pack capacity: 983Wh (10.8V, 91Ah)

Single Cell Equivalent Capacity: 273Ah @ 3.6V

Pack Lithium Content: 82g

Lifecycles: 500 Cycles to 80% capacity (Discharge rate: 1C, Full charge/discharge, Temp: 25C)

Shelf-life: Charge every 3-6 months

Management system: MPPT charge controller

GENERAL

Chainable: No

Weight: 14.37 kg

Dimensions: 38.74 x 25.98 x 25.04 cm

Operating usage temp.: 32-104 F (0-40 C)

Certs: CE FCC

Warranty: 24 months

Reviews

Write a review for this product & receive a free discount coupon as well as access to exclusive member content. Please [register](#) or [login](#) to write your review.